Amendment - Ser. No. 10/697,764 January 31, 2006 Page 2

## IN THE CLAIMS

Kindly amend the claims as shown in the following complete listing:

1. (currently amended) An electrical module installation comprising:

an electrical module comprising a plurality of electrical connectors arranged in a first pattern;

<u>a plurality of electrical cables connected respectively to said plurality of electrical connectors of said electrical module;</u>

<u>a</u> device for holding a <u>said</u> plurality of <u>associated control lines</u> <u>electrical cables</u> in a defined orientation relative to each other <u>and relative to said electrical module</u>, said device comprising:

a control line cable support structure defined by a polymeric member that defines includes a plurality of control line cable-receiving and retaining locations defined therein and arranged in said first pattern in which said plurality of electrical connectors of said electrical module are arranged, wherein each of said electrical cables is secured in one of said cable-receiving locations of said cable support structure, and wherein said cable support structure is positioned to overlie and permit viewing of said electrical module, with each of said cable-receiving locations axially aligned with one of said connectors of said electrical module adapted to receive and releasably retain an associated cable or other control line;

a flexible retainer projecting outwardly from said <u>cable</u> support structure, <u>said</u> flexible retainer connected to a mounting location adjacent said electrical interface module so as to and adapted for movably <u>secure</u> securing said <u>cable</u> support structure to <u>the an associated</u> mounting location, <u>said flexible retainer permitting movement of said cable support structure together with said plurality of cables located in said cable receiving locations relative to <u>said mounting location while maintaining said plurality of cables oriented in said first pattern.</u></u>

Amendment - Ser. No. 10/697,764 January 31, 2006 Page 3

- 2. (currently amended) The device as set forth in claim 1, wherein said <u>cable</u> support structure and said flexible retainer are defined <u>together</u> as a one-piece construction <u>from a transparent polymer</u>.
  - 3. (canceled)
  - 4. (canceled)
  - 5. (canceled)
- 6. (withdrawn and currently amended) The device as set forth in claim 1, wherein said <u>cable</u> support structure comprises a flexible polymeric member and wherein said <del>control line cable-</del>receiving locations are defined by a plurality of flexible flaps arranged adjacent each other and selectively resiliently deflectable outwardly from said flexible polymeric member to define an opening.
- 7. (withdrawn and currently amended) The device as set forth in claim 6, wherein said flexible flaps are arranged in a pie-shaped conformation, with each flexible flaps comprising converging lateral sides that meet adjacent a central region of said control line cable-receiving location.
- 8. (currently amended) The device as set forth in claim 1, wherein said control line <u>cable</u> support structure comprises a peripheral edge, and wherein each of said control line <u>cable</u>-receiving locations opens in said peripheral edge to allow for midspan insertion of <u>one of said plurality of cables</u> a <u>cable or other control line</u>.
- 9. (withdrawn and currently amended) The device as set forth in claim 6, wherein said control line <u>cable</u> support structure comprises a peripheral edge, and wherein each of said control line <u>cable</u>-receiving locations opens in said peripheral edge

Amendment - Ser. No. 10/697,764 January 31, 2006 Page 4

to allow for mid-span insertion of <u>one of said plurality of cables</u> a cable or other control line.

- 10. (currently amended) The device as set forth in claim 1, further comprising indicia located on said <del>control line</del> <u>cable</u> support structure, said indicia uniquely identifying each cable-receiving location.
  - 11. (canceled)
- 12. (currently amended) The device as set forth in claim 4 claim 1, wherein said control line cable-receiving locations are arranged in multiple rows and columns.
  - 13. (canceled)
  - 14. (canceled)
  - 15. (canceled)
  - 16. (canceled)
  - 17. (canceled)
  - 18. (canceled)
  - 19. (canceled)
  - 20. (canceled)